	Lesson plan 4 Snubbing Level 3,4						
Time	Lecture	Subject	Delivery Method for level 3	Delivery Method for level 4	Teaching Aids	Assessing & Understan ding	
08:00 - 08:30		Homework revision	Check the answers for yesterday homework with students and discuss the correct answers	Check the answers for yesterday homework with students and discuss the correct answers	Verbal White board	Discussion	
	4.1	Application SN When snubbing is used	Explain the uses and limitations of snubbing	Explain the uses and limitations of snubbing	Power point Manual	Open Question Q & A	
08:30 - 09:00	4.2	Equipment SN The snubbing equipment in different operating environments	Explain why it is important to use the correct snubbing equipment for different parameters: - Pressure ratings - Flow - Fluid composition - Temperature - Connection compatibility Explain why compatibility with external equipment systems is important: - Drilling rig - Production facility - Remote	From a given situation assess if the snubbing equipment is suitable for different parameters: - Pressure ratings - Flow - Fluid composition - Temperature - Connection compatibility. Explain why compatibility with external equipment systems is important: - Drilling rig - Production facility - Remote	Power point Video Manual	Open Question Q & A	
9:00 - 10:00	4.3	PRESSURE CONTROL Surface PCE Stack SN PCE required for snubbing operations	Explain the function and positioning of the surface PCE components required for snubbing operations	From a given situation, assess the surface PCE components required and explain their function for snubbing operations	Power point White board	Discussion	

	4.4	Primary Barrier Elements SN Primary barrier elements used during snubbing operations	Describe the function and positioning of primary barrier elements used during snubbing operations: - Stripper bowl or annular preventer - Stripper BOP Outline the operating limits of snubbing primary barrier elements: - Potential for buckling - Height limitations - Access for maintenance	Describe the function and positioning of primary barrier elements used during snubbing operations: - Stripper bowl or annular preventer - Stripper BOP Outline the operating limits of snubbing primary barrier elements: - Potential for buckling - Height limitations - Access for maintenance	Verbal Power point	Discussion
10:00 - 10:30	4.5	Primary Barrier Elements SN Snubbing primary barrier sealing elements and how to operate them correctly	Explain how the snubbing primary barrier sealing elements will operate: - With well pressure assistance on closing - With operating pressures - With operating temperature - Type of fluid (oil, gas or water) - Condition of tubulars and connections - Pipe Rotation With running speeds	Explain how the snubbing primary barrier sealing elements will operate: - With well pressure assistance on closing - With operating pressures - With operating temperature - Type of fluid (oil, gas or water) - Condition of tubulars and connections - Pipe Rotation With running speeds	Power point Manual	Open Question Q & A
	4.6	Primary Barrier Elements SN Primary barrier element integrity during snubbing operations	Explain the factors that can affect primary barrier elements integrity during snubbing operations:	From a given situation, explain how to prevent primary barrier element failure during	White board Power point	Group discussion

	1	T	1	1		
			 Hydraulic pressure Roughness of the workstring Fluid composition Maintenance Running speeds 	snubbing operations considering the following factors: - Hydraulic pressure - Roughness of the workstring - Fluid composition - Maintenance - Running speeds		
	4.7	Secondary Barrier Elements – BOPs (Ram Type Preventers) SN Secondary barrier elements (snubbing BOPs) used during snubbing operations	Describe the function and positioning of secondary barrier elements (snubbing BOPs) used during snubbing operations, and their operating limits, including potential for failure: - Annular BOPs - Pipe ram/safety BOPs	From a given diagram, assess if the snubbing BOP space-out and configuration is suitable for the operation	Power point Manual	Open Question Q & A
10:30 - 11:00	4.8	Secondary Barrier Elements – BOPs (Ram Type Preventers) SN BOP ram configurations for different snubbing operations	For a given situation, identify the required changes to the snubbing BOP ram configuration for: - Changes to tubular diameter and type - Different fluid composition - Changes to pressure and temperature	For a given situation, assess the required changes to the snubbing BOP ram configuration for: - Changes to tubular diameter and type - Different fluid composition - Changes to pressure and temperature	Power point	Discussion
11:00 - 11:30		Lunch Break				
11:30 11:45	4.9	Secondary Barrier Elements – BOPs (Ram Type Preventers) SN How to operate secondary barrier elements (snubbing	Explain how to operate the secondary barrier elements (snubbing/annular/pi	From a given situation, explain the correct actions to take if the secondary barrier	White board Manual	Open Question Q & A



		BOPs) including annular BOPs and pipe ram/safety BOPs	pe ram/safety BOPs) during snubbing operations including: - Closing and operating sequences - Operating pressures - Lining up and hydraulic connections	elements (snubbing/annular/pi pe ram/safety BOPs) fail to seal or function		
	4.10	Shearing Devices SN Snubbing shearing devices	Explain the function, positioning and operating limits of snubbing: - Shear ram - Shear/seal ram/valve. Explain when to use a snubbing: - Shear ram - Shear/seal ram/valve	Explain the function, positioning and operating limits of snubbing: - Shear ram - Shear/seal ram/valve. From a given situation, explain why and when to use a snubbing: - Shear ram - Shear/seal ram/valve	White board Verbal Video	Discussion
11:45 - 12:15	4.11	Other Well Control Devices SN Downhole check valves (back pressure valves) used during snubbing operations	Explain the positioning of downhole check valves (back pressure valves) in a snubbing BHA and how to test them Outline the advantages and disadvantages of using downhole check valves (back pressure valves) in a snubbing BHA	From a given situation assess the positioning of downhole check valves (back pressure valves) in a snubbing BHA and how to test them Outline the advantages and disadvantages of using downhole check valves (back pressure valves) in a snubbing BHA	Power point manual	Open Question Q & A

	4.12	Other Well Control Devices SN The need for and the use of alternative and additional internal well control devices in snubbing operations	Explain the use and positioning of various alternative and additional internal well control devices including: - Stab-in safety valves - Internal BOPs - Pump down plugs Pump out devices	From a given situation compare the use of various internal well control devices including: - Stab-in safety valves - Internal BOPs - Pump down plugs - Pump out devices. Explain where to position the devices in the string and justify reasoning	White board Manual	Discussion
12:15 - 13:45	4.13	PRESSURE CONTROL (BARRIER ELEMENTS AND ENVELOPES) PRINCIPLES SN Grouping barrier elements into barrier envelopes during snubbing operations	From a given snubbing situation or surface rig-up diagram, identify which are primary and secondary barrier elements and group them into envelopes	From a given changing snubbing situation or surface rig-up diagram, identify which are primary and secondary barrier elements and group them into envelopes Assess from a given barrier configuration and PCE design if the snubbing operation can be completed safely Assess where potential leak paths may develop	Manual video	Open Question Q & A
	4.14	Other Operations - PCE Stack SN A snubbing pressurised deployment system	Describe when a snubbing pressurised deployment system is used Explain the barrier configuration and PCE design required	From a given situation, assess when a snubbing pressurised deployment system is used Explain the barrier	Manual White board	Open Question Q & A

			to maintain the	configuration and		
1			double barrier	PCE design required		
			philosophy	to maintain the		
				double barrier		
			D 11 11	philosophy		
			Describe the ram	From a given		
			equipment required	description or		
			for different pipe	diagram, assess the		
		Other One and leave DOE	sizes including	ram equipment		
		Other Operations - PCE Stack SN	tapered string	required for a		
		Changes to ram		specific tapered		
4.	4.15	equipment for different	Explain how to	string operation	Manual	Discussion
		pipe sizes including	change the rams at			
		tapered string	the changeover from	Explain how to		
		· v	one size to another	change the rams at		
				the changeover from		
				one size to		
				another		
			Explain the steps to	Explain the steps		
			make the well safe	required to make		
		Safely repair or replace	when changing out	the well safe when		
			sealing elements	changing out	Manual	
	4.46	element SN	within the stack	sealing elements		D'
4.	4.16			within the stack		Discussion
		The reasons for changing	Explain why it is		board	
		worn elastomers	important to	Explain why it is		
			maintain two barriers	important to		
				maintain two barriers		
			Explain the correct	From a given		
13:45			actions to take if	situation, explain the		
-			a primary barrier	correct actions to		
14:15			•			
		Safely repair or replace	_	barrier element fails		
		failed primary barrier	5 1			
		element SN	Describe how and		Manual	Onon
4.	4.17	On an alamakan d		•	White	Question Q
			• • •			& A
		•	•	double		
			•			
			_	· ·		
			• •			
			- Testing after closure	barrier element		
			- Monitoring for	- Ability to verify		
13:45 - 14:15	4.16	The reasons for changing worn elastomers Safely repair or replace failed primary barrier	Explain the steps to make the well safe when changing out sealing elements within the stack Explain why it is important to maintain two barriers Explain the correct actions to take if a primary barrier element fails during snubbing operations Describe how and when to apply the secondary barrier elements/envelopes considering: - Equipment operating limits	the changeover from one size to another Explain the steps required to make the well safe when changing out sealing elements within the stack Explain why it is important to maintain two barriers From a given situation, explain the correct actions to take if a primary barrier element fails during snubbing operations considering: - How to maintain double barrier protection - Operating limits of secondary		

			1	T		1
			pressure	barrier		
			- Double barrier	envelope integrity		
			protection			
			Explain how to	Explain how to		
			maintain double	maintain double		
		Safely repair or replace failed primary barrier	barriers when	barriers when		
			changing the annular	changing the annular		
		element SN	element during	element during		
	110		intervention	intervention	Manual	Group
	4.18	Maintaining a double			video	discussion
		barrier when changing	From a diagram or	From a diagram or		
		the annular element	description of	description of		
		during intervention	changing the annular	changing the annular		
			element,	element,		
			identify the barriers	identify the barriers		
14:15						
-		Coffee Break				
14:30						
			Explain which PCE is	Analyse given		
			required to complete	information of the		
		DCE Dia Un CN	a safe and compatible	PCE stack, and		
		PCE Rig Up SN The equipment required	snubbing rig-up	explain which	Power	0.5.5.5
	4.19	for a safe and		equipment is	point	Open Question Q
	25	compatible snubbing		required to complete	Manual	& A
		PCE rig-up		a safe and	Wanda	
				compatible snubbing		
				rig-up		
			Explain how to do	From a given		
			pressure tests and	situation, verify how		
			function tests on the	to do pressure tests		
		PCE Testing SN	PCE with the	and function tests	Manual	
	4.20	PCE pressure tests and	workstring in place	on the PCE with the	White	Discussion
	4.20	function tests with the	workstring in place	workstring in place,	board	Discussion
14:30		workstring in place		and assess if the test	Doard	
-				results are		
15:00						
		Operational	Evaluin the forces on	acceptable		
		Considerations (with	Explain the forces on the workstring	Explain the effects of flow and well		
		well control				
	4 24	consequences) SN	created by well	condition changes on	Manual	Open Ougstion O
	4.21		pressure, flow and	the work string	Manual	Question Q & A
		The forces on the	conditions to	December the street		
		workstring created by	produce:	Describe the steps		
		well pressure	- Pipe light and pipe	required to		

			heavy - Buckling Explain the procedure of transition from pipe light to pipe heavy and from pipe heavy to pipe light	manage the forces produced during: - Pipe light and pipe heavy - Buckling Explain the procedure of transition from pipe light to pipe heavy and from pipe heavy to pipe light		
	4.22	Operational Considerations (with well control consequences) SN Snubbing pipe in and out of a live well (with square collars/ram to ram)	Explain the process of snubbing pipe with square collars by opening and closing the stripper rams in sequence	Explain the process of snubbing pipe with square collars by opening and closing the stripper rams in sequence	Manual White board	Open Question Q & A
15:00 - 15:30	4.23	Controlled Well Shut in SN How to shut in the well quickly and safely with or without work-string in the hole	Explain how to safely shut in the well during a snubbing operation: - With workstring in the hole - Without workstring in the hole - With BHA tools and components positioned at surface	From a given situation, assess how to safely shut in the well during a snubbing operation: - With workstring in the hole - Without workstring in the hole - With BHA tools and components positioned at surface	Manual	Open Question Q & A
15:30 - 15:45	4.24	Controlled Well Shut in SN Snubbing shear ram equipment operating limits	From a given diagram or description, identify the non- shearable BHA tools and components	From a given diagram or description, assess what action to take if there are nonshearable BHA tools and component across the BOP	White board Manual	Group discussion
	4.25	Loss of Pressure Control During Well Intervention Operations SN	From a given diagram or description of a snubbing BOP,	From a given diagram or description of a snubbing BOP,	White board Manual	Open Question Q & A



		How to identify defects that could affect BOP function during a snubbing operation	explain what to do when there is a defect: - Leaking flange/fitting connections - Leaking weep holes - Damaged seals	explain what to do when there is a defect: - Leaking flange/fitting connections - Leaking weep holes - Damaged seals. Explain the further		
				actions required once the situation is made safe		
	4.26	Loss of Pressure Control During Well Intervention Operations SN What to do if surface equipment fails while the work string is in the well during a snubbing operation	Explain how to make the operation safe while maintaining control of the well if surface equipment fails while the work string is in the well during a snubbing operation	Assess what to do if surface equipment fails while the work string is in the well during a snubbing operation, and explain the further actions required once the operation is made safe	White board Manual	Discussion
15:45 - 16:15	4.27	Loss of Pressure Control During Well Intervention Operations SN What to do if the slip bowl fails during a snubbing operation	Explain how to make the operation safe while maintaining control of the well if the slip bowl fails during a snubbing operation when in: - Pipe light - Pipe heavy	From a given situation, assess what to do if the slip bowl fails during a snubbing operation, and explain the further actions required once the operation is made safe when in: - Pipe light - Pipe heavy	Manual	Open Questions
	4.28	Loss of Pressure Control During Well Intervention Operations SN What to do if there is a leak from the surface equipment to the atmosphere during a	Explain how to make the operation safe while maintaining control of the well if there is a leak from the surface equipment to the atmosphere during a	From a given situation, assess what to do if there is a leak from the surface equipment to the atmosphere during a snubbing operation, and	Manual	Discussion

STC

		snubbing operation	snubbing operation: - Below the stripper BOPs - Below the safety BOP - Above the shear/seal BOP - Below the blind/shear BOP	explain the further actions required once the operation is made safe: - Below the stripper BOPs - Below the safety BOP - Above the shear/seal BOP - Below the blind/shear BOP		
16.15	4.29	Loss of Pressure Control During Well Intervention Operations SN What to do if pressure is seen at surface inside the work string during a snubbing operation	Explain how to make the operation safe while maintaining control of the well if pressure is seen at surface inside the work string during a snubbing operation	From a given situation, assess what to do if pressure is seen at surface inside the work string during a snubbing operation, and explain the further actions required once the operation is made safe	White board Manual	Class discussion
16:15 - 16:30	4.30	Loss of Pressure Control During Well Intervention Operations SN What to do if an alarm sounds when the workstring is in the well and you are required to muster in a safe area	Explain how to make the operation safe while maintaining control of the well if an alarm sounds and you are required to muster in a safe area when the workstring is in the well	From a given situation, assess what to do if an alarm sounds and you are required to muster in a safe area when the workstring is in the well and explain the further actions required once the operation is made safe	White board Manual	Discussion
16:30 - 16:45	4.31	Loss of Pressure Control During Well Intervention Operations SN What to do if the workstring down hole check valves (back pressure valves) leak	Explain how to make the operation safe while maintaining control of the well if the workstring down hole check valves (back	From a given situation, assess what to do if the workstring down hole check valves (back pressure valves) leak while in	Manual	Open Question Q & A

Lesson plan 4 Snubbing Level 3, 4

	while in the hole during a snubbing operation	pressure valves) leak while in the hole during a snubbing operation	the hole during a snubbing operation and explain the further actions required once the operation is made safe		
1 hr.	Homework exercises			Exercise Book	To be discussed next day